



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Princeton RV School District

Project Name: MO Schools

Jerry Girdner
 1008 E. Coleman
 Princeton, MO 64673

Project / PO Number: / Lead Testing
 Received: 01/05/2024
 Reported: 01/22/2024

Analytical Testing Parameters

Client Sample ID:	C-1	Collection Date:	12/28/2023 8:12
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-01		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0523	RVV

Client Sample ID:	C-2	Collection Date:	12/28/2023 8:12
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-02		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0527	RVV

Client Sample ID:	C-3	Collection Date:	12/28/2023 8:13
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-03		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0531	RVV

Client Sample ID:	C-4	Collection Date:	12/28/2023 8:13
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-04		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0535	RVV



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Client Sample ID: C-5			
Sample Matrix: Drink Wtr			
Lab Sample ID: 3HA0038-05		Collection Date: 12/28/2023 8:14	

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0539	RVV

Client Sample ID: C-6			
Sample Matrix: Drink Wtr			
Lab Sample ID: 3HA0038-06		Collection Date: 12/28/2023 8:14	

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0551	RVV

Client Sample ID: C-7			
Sample Matrix: Drink Wtr			
Lab Sample ID: 3HA0038-07		Collection Date: 12/28/2023 8:15	

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0555	RVV

Client Sample ID: B-1			
Sample Matrix: Drink Wtr			
Lab Sample ID: 3HA0038-08		Collection Date: 12/28/2023 8:32	

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0559	RVV

Client Sample ID: B-2			
Sample Matrix: Drink Wtr			
Lab Sample ID: 3HA0038-09		Collection Date: 12/28/2023 8:32	

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0603	RVV



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Client Sample ID:	B-3	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-10	Collection Date:	12/28/2023 8:34
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0606	RVV

Client Sample ID:	B-4	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-11	Collection Date:	12/28/2023 8:34
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0610	RVV

Client Sample ID:	B-5	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-12	Collection Date:	12/28/2023 8:31
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0614	RVV

Client Sample ID:	B-6	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-13	Collection Date:	12/28/2023 8:31
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0618	RVV

Client Sample ID:	B-7	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-14	Collection Date:	12/28/2023 8:30
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0622	RVV



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Client Sample ID:	A-1	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-15	Collection Date:	12/28/2023 9:05
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0626	RVV

Client Sample ID:	A-2	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-16	Collection Date:	12/28/2023 9:05
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0638	RVV

Client Sample ID:	A-3	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-17	Collection Date:	12/28/2023 9:06
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0642	RVV

Client Sample ID:	A-4	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-18	Collection Date:	12/28/2023 9:07
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0646	RVV

Client Sample ID:	D-22	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-19	Collection Date:	12/28/2023 11:10
--------------------------	------	-----------------------	-----------	-----------------------	------------	-------------------------	------------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0650	RVV



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Client Sample ID:	D-21	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-20	Collection Date:	12/28/2023 11:13
--------------------------	------	-----------------------	-----------	-----------------------	------------	-------------------------	------------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0702	RVV

Client Sample ID:	D-23	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-21	Collection Date:	12/28/2023 11:15
--------------------------	------	-----------------------	-----------	-----------------------	------------	-------------------------	------------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	10.4	0.4	ppb	2		01/19/24 0854	01/20/24 0714	RVV

Client Sample ID:	F-1	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-22	Collection Date:	12/28/2023 9:20
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0726	RVV

Client Sample ID:	F-2	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-23	Collection Date:	12/28/2023 9:20
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	0.6	0.4	ppb	2		01/19/24 0854	01/20/24 0730	RVV

Client Sample ID:	F-3	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-24	Collection Date:	12/28/2023 9:21
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0734	RVV



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Client Sample ID:	F-4		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-25	Collection Date:	12/28/2023 9:22

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0738	RVV

Client Sample ID:	F-5		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-26	Collection Date:	12/28/2023 9:23

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	1.2	0.4	ppb	2		01/19/24 0854	01/20/24 0742	RVV

Client Sample ID:	F-6		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-27	Collection Date:	12/28/2023 9:24

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	1.1	0.4	ppb	2		01/19/24 0854	01/20/24 0746	RVV

Client Sample ID:	D-14		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-28	Collection Date:	12/28/2023 11:16

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0750	RVV

Client Sample ID:	D-17		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-29	Collection Date:	12/28/2023 12:00

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0754	RVV



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Client Sample ID:	E-1	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-30	Collection Date:	12/28/2023 9:50
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0758	RVV

Client Sample ID:	E-2	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-31	Collection Date:	12/28/2023 9:51
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0802	RVV

Client Sample ID:	E-3	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-32	Collection Date:	12/28/2023 9:52
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0814	RVV

Client Sample ID:	E-4	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-33	Collection Date:	12/28/2023 9:57
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0818	RVV

Client Sample ID:	E-5	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-34	Collection Date:	12/28/2023 9:59
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0822	RVV



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Client Sample ID:	E-6	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-35	Collection Date:	12/28/2023 10:09
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	------------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0826	RVV

Client Sample ID:	E-7	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-36	Collection Date:	12/28/2023 10:10
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	------------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0830	RVV

Client Sample ID:	E-8	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-37	Collection Date:	12/28/2023 10:11
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	------------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0834	RVV

Client Sample ID:	E-9	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-38	Collection Date:	12/28/2023 10:12
--------------------------	-----	-----------------------	-----------	-----------------------	------------	-------------------------	------------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0838	RVV

Client Sample ID:	E-10	Sample Matrix:	Drink Wtr	Lab Sample ID:	3HA0038-39	Collection Date:	12/28/2023 9:53
--------------------------	------	-----------------------	-----------	-----------------------	------------	-------------------------	-----------------

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0842	RVV



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Client Sample ID:	E-11						
Sample Matrix:	Drink Wtr						
Lab Sample ID:	3HA0038-40	Collection Date:	12/28/2023 9:53				

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	0.6	0.4	ppb	2		01/19/24 0854	01/20/24 0902	RVV

Client Sample ID:	E-12						
Sample Matrix:	Drink Wtr						
Lab Sample ID:	3HA0038-41	Collection Date:	12/28/2023 9:54				

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0914	RVV

Client Sample ID:	E-13						
Sample Matrix:	Drink Wtr						
Lab Sample ID:	3HA0038-42	Collection Date:	12/28/2023 9:55				

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0918	RVV

Client Sample ID:	E-14						
Sample Matrix:	Drink Wtr						
Lab Sample ID:	3HA0038-43	Collection Date:	12/28/2023 10:05				

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0922	RVV

Client Sample ID:	E-15						
Sample Matrix:	Drink Wtr						
Lab Sample ID:	3HA0038-44	Collection Date:	12/28/2023 10:00				

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0926	RVV



Keystone Laboratories - Kansas City
 CERTIFICATE OF ANALYSIS
 3HA0038

Client Sample ID:	E-16		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-45	Collection Date:	12/28/2023 9:59

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0930	RVV

Client Sample ID:	E-17		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-46	Collection Date:	12/28/2023 10:06

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0934	RVV

Client Sample ID:	E-18		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-47	Collection Date:	12/28/2023 10:14

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0938	RVV

Client Sample ID:	D-1		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-48	Collection Date:	12/28/2023 11:31

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0950	RVV

Client Sample ID:	D-2		
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-49	Collection Date:	12/28/2023 11:32

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0954	RVV

Keystone Laboratories - Kansas City
CERTIFICATE OF ANALYSIS
3HA0038

Client Sample ID:	D-3								
Sample Matrix:	Drink Wtr								
Lab Sample ID:	3HA0038-50					Collection Date:	12/28/2023 11:30		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 0958	RVV

Client Sample ID:	D-4								
Sample Matrix:	Drink Wtr								
Lab Sample ID:	3HA0038-51					Collection Date:	12/28/2023 11:20		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 1002	RVV

Client Sample ID:	D-5								
Sample Matrix:	Drink Wtr								
Lab Sample ID:	3HA0038-52					Collection Date:	12/28/2023 11:27		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 1006	RVV

Client Sample ID:	D-8								
Sample Matrix:	Drink Wtr								
Lab Sample ID:	3HA0038-53					Collection Date:	12/28/2023 11:26		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 1010	RVV

Client Sample ID:	D-9								
Sample Matrix:	Drink Wtr								
Lab Sample ID:	3HA0038-54					Collection Date:	12/28/2023 11:33		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 1014	RVV

Keystone Laboratories - Kansas City
CERTIFICATE OF ANALYSIS
3HA0038

Client Sample ID:	D-10	Collection Date:	12/28/2023 11:50
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-55		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	1.1	0.4	ppb	2		01/19/24 0854	01/20/24 1018	RVV

Client Sample ID:	D-11	Collection Date:	12/28/2023 11:49
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-56		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	1.0	0.4	ppb	2		01/19/24 0854	01/20/24 1022	RVV

Client Sample ID:	D-12	Collection Date:	12/28/2023 11:47
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-57		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	0.4	0.4	ppb	2		01/19/24 0854	01/20/24 1026	RVV

Client Sample ID:	D-13	Collection Date:	12/28/2023 11:44
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-58		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 1038	RVV

Client Sample ID:	D-15	Collection Date:	12/28/2023 11:59
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-59		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 1042	RVV



Keystone Laboratories - Kansas City
CERTIFICATE OF ANALYSIS
3HA0038

Client Sample ID:	D-16	Collection Date:	12/28/2023 11:58
Sample Matrix:	Drink Wtr		
Lab Sample ID:	3HA0038-60		

Analyses Performed by: Keystone Laboratories - Newton

Determination of Total Metals	Result	RL	Units	DF	Note	Prepared	Analyzed	Analyst
200.8								
Lead, total	<0.4	0.4	ppb	2		01/19/24 0854	01/20/24 1054	RVV

Definitions

RL: Reporting Limit

Report Comments

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. The services were provided under and subject to Microbac's standard terms and conditions which can be located and reviewed at <https://www.microbac.com/standard-terms-conditions>.

Reviewed and Approved By:

Sue Thompson
Client Services Manager
01/22/24 14:53

SITE INFORMATION

Sampler: _____
Project: MO Schools

SPECIAL INSTRUCTIONS

None
Turn Around Time Standard RUSH, need by ___/___/___

REPORT TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

INVOICE TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

LAB USE ONLY

Work Order 31A00038
Temperature 20.4/22.1
Turn-Cooler: No

Custody Seal
 Containers Intact
 COC/Labels Agree
 Preservation Confirmed
 Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
-001	C-1	Drink Wtr	NR	12/28/23	8:12AM	1	pb-1-200.8	01
-002	C-2	Drink Wtr	NR	12/28/23	8:12AM	1	pb-1-200.8	02
-003	C-3	Drink Wtr	NR	12/28/23	8:13AM	1	pb-1-200.8	03
-004	C-4	Drink Wtr	NR	12/28/23	8:13AM	1	pb-1-200.8	04
-005	C-5	Drink Wtr	NR	12/28/23	8:14AM	1	pb-1-200.8	05
-006	C-6	Drink Wtr	NR	12/28/23	8:14AM	1	pb-1-200.8	06
-007	C-7	Drink Wtr	NR	12/28/23	8:15AM	1	pb-1-200.8	07

Relinquished By _____ Date/Time _____

Relinquished By _____ Date/Time _____

Remarks:

Received By _____ Date/Time _____

Received for Lab By _____ Date/Time _____

Original - Lab Copy Yellow - Sampler Copy

Kylee Johnson 1-5-24 8:35



SITE INFORMATION

Sampler:
Project: MO Schools
Lead Testing

REPORT TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

INVOICE TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

SPECIAL INSTRUCTIONS

None
Turn Around Time
 Standard RUSH, need by ___/___/___

LAB USE ONLY

Work Order 3HAA0038
Temperature 20.4/22.1
Turn-Cooler: No

Custody Seal
 Containers Intact
 COC/Labels Agree
 Preservation Confirmed
 Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
-008	B-1	Drink Wtr	NR	12/20/23	0832	1	pb-t-200.8	08
-009	B-2	Drink Wtr	NR	12/20/23	0832	1	pb-t-200.8	09
-010	B-3	Drink Wtr	NR	12/20/23	0834	1	pb-t-200.8	10
-011	B-4	Drink Wtr	NR	12/20/23	0834	1	pb-t-200.8	11
-012	B-5	Drink Wtr	NR	12/20/23	0831	1	pb-t-200.8	12
-013	B-6	Drink Wtr	NR	12/20/23	0831	1	pb-t-200.8	13
-014	B-7	Drink Wtr	NR	12/20/23	0830	1	pb-t-200.8	14

Relinquished By _____ Date/Time _____

Relinquished By _____ Date/Time _____

Remarks:

Received By _____ Date/Time _____

Received for Lab By Kuubalyoon Date/Time 1-5-24 8:35



LABORATORIES
A Microbac Company

600 East 17th Street
Newton, IA 50208
641-792-8451

3 H A 0 0 3 8
Princeton RV School District
P.N.: Carolyn Jackson

Page 3 of
Printed: 11/27/2023 9:52:37A
www.keystonelabs.com

SITE INFORMATION

Sampler: _____
Project: MO Schools
Lead Testing

REPORT

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

INVOICE TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

SPECIAL INSTRUCTIONS

None
Turn Around Time
 Standard RUSH, need by ___/___/___

LAB USE ONLY

Work Order 3HA0038
Temperature 20.4/22.1
Turn-Cooler: No

Custody Seal
 Containers Intact
 COC/Labels Agree
 Preservation Confirmed
 Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
-015	A-1	Drink Wtr	NR	12/28/23	0905	1	pb-t-200.8	15
-016	A-2	Drink Wtr	NR	12/28/23	0905	1	pb-t-200.8	16
-017	A-3	Drink Wtr	NR	12/28/23	0906	1	pb-t-200.8	17
-018	A-4	Drink Wtr	NR	12/28/23	0907	1	pb-t-200.8	18
-019	D-22	Drink Wtr	NR	12/28/23	1110	1	pb-t-200.8	19
-020	D-21	Drink Wtr	NR	12/28/23	1113	1	pb-t-200.8	20
-021	D-23	Drink Wtr	NR	12/28/23	1115	1	pb-t-200.8	21

Relinquished By _____ Date/Time _____

Relinquished By _____ Date/Time _____

Received By _____ Date/Time _____

Received for Lab By _____ Date/Time _____

Remarks:

Original - Lab Copy Yellow - Sampler Copy

SITE INFORMATION

Sampler:
Project: MO Schools
Lead Testing

SPECIAL INSTRUCTIONS

None
Turn Around Time
 Standard RUSH, need by ___/___/___

REPORT TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

LAB USE ONLY

Work Order 3HAA0038
Temperature 20.4/22.1
Turn-Cooler: No

Custody Seal
 Containers Intact
 COC/Labels Agree
 Preservation Confirmed
 Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
-022	F-1	Drink Wtr	NR	12/28/23	0920	1	pb-1-200.8	22
-023	F-2	Drink Wtr	NR	12/28/23	0920	1	pb-1-200.8	23
-024	F-3	Drink Wtr	NR	12/28/23	0921	1	pb-1-200.8	24
-025	F-4	Drink Wtr	NR	12/28/23	0922	1	pb-1-200.8	25
-026	F-5	Drink Wtr	NR	12/28/23	0923	1	pb-1-200.8	26
-027	F-6	Drink Wtr	NR	12/28/23	0924	1	pb-1-200.8	27
-028	D-14 D-17	Drink Wtr	NR	12/20/23	1110 1200	1 1	pb-1-200.8	28 29

Relinquished By _____ Date/Time _____

Relinquished By _____ Date/Time _____

Remarks:

Received By _____ Date/Time _____

Received for Lab By K. Johnson Date/Time 1-5-24 8:35

Original - Lab Copy Yellow - Sampler Copy



LABORATORIES
A Microbac Company

600 East 17th Street So
Newton, IA 50208
641-792-8451

3 H A 0 0 3 8
Princeton RV School District
Pvt. Carolyn Jackson

Printed: 11/27/2023 9:52:37A
www.keystonelabs.com

CHAIN OF CUSTODY



REPORT TC

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

Relinquished By _____ Date/Time _____

Sampler:

Project: MO Schools

SPECIAL INSTRUCTIONS

None

Turn Around Time

Standard RUSH, need by ___/___/___

LAB USE ONLY

Work Order 3HA0038

Temperature 20.4/22.1

Turn-Cooler: No

<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Custody Seal
Containers Intact
COC/Labels Agree
Preservation Confirmed
Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
-029	E-1	Drink Wtr	NIR	12/28/23	0950	1	pb-t-200.8	30
-030	E-2	Drink Wtr	NIR	12/28/23	0951	1	pb-t-200.8	31
-031	E-3	Drink Wtr	NIR	12/28/23	0952	1	pb-t-200.8	32
-032	E-4	Drink Wtr	NIR	12/28/23	0957	1	pb-t-200.8	33
-033	E-5	Drink Wtr	NIR	12/28/23	0959	1	pb-t-200.8	34
-034	E-6	Drink Wtr	NIR	12/28/23	1009	1	pb-t-200.8	35
-035	E-7	Drink Wtr	NIR	12/28/23	1010	1	pb-t-200.8	36

Relinquished By _____ Date/Time _____

Received By _____ Date/Time _____

Relinquished By _____ Date/Time _____

Received for Lab By _____ Date/Time _____

Remarks:

Keystone Labs
Original - Lab Copy Yellow - Sampler Copy

Keystone

LABORATORIES
A Microbac Company

600 East 17th Street
Newton, IA 50208
641-792-8451

3 H A 0 0 3 8
Princeton RV School District
Pm: Carolyn Jackson

Page 6 of 10
Printed: 11/27/2023 9:52:37A
www.keystonelabs.com

SITE INFORMATION

Sampler:
Project: MO Schools
Lead Testing

REPORT TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

INVOICE TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

SPECIAL INSTRUCTIONS

None
Turn Around Time
 Standard RUSH, need by ___/___/___

LAB USE ONLY

Work Order: 3HA0038
Temperature: 20.4 B2.1
Turn-Cooler: No

Custody Seal
 Containers Intact
 COC/Labels Agree
 Preservation Confirmed
 Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
-036	E-8	Drink Wtr	NIR	12/28/23	1011	1	pb-t-200.8	37
-037	E-9	Drink Wtr	NIR	12/28/23	1012	1	pb-t-200.8	38
-038	E-10	Drink Wtr	NIR	12/28/23	0953	1	pb-t-200.8	39
-039	E-11	Drink Wtr	NIR	12/28/23	0953	1	pb-t-200.8	40
-040	E-12	Drink Wtr	NIR	12/28/23	0954	1	pb-t-200.8	41
-041	E-13	Drink Wtr	NIR	12/28/23	0955	1	pb-t-200.8	42
-042	E-14	Drink Wtr	NIR	12/28/23	1005	1	pb-t-200.8	43

Relinquished By _____ Date/Time _____

Relinquished By Kulob Johnson Date/Time 1-5-24 8:35

Remarks: _____

Received By _____ Date/Time _____

Received for Lab BY Date/Time _____

Keystone

LABORATORIES
A Microbac Company

600 East 17th Street
Newton, IA 50208
641-792-8451

3 H A 0 0 3 8
Princeton RV School District
P.M. Carolyn Jackson

Page 7 of
Printed: 11/27/2023 9:52:37A
www.keystonelabs

REPORT TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

INVOICE TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

SITE INFORMATION

Sampler: _____
Project: MO Schools
Lead Testing _____

SPECIAL INSTRUCTIONS

None
Turn Around Time _____
 Standard RUSH, need by ___/___/___

LAB USE ONLY

Work Order: 3HAA0038
Temperature: 20.4 / 22.1
Turn-Cooler: No

Custody Seal
 Containers Intact
 COC/Labels Agree
 Preservation Confirmed
 Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
-043	E-15	Drink Wtr	NR	12/28/23	1200	1	pb-t-200.8	44
-044	E-16	Drink Wtr	NR	12/28/23	0959	1	pb-t-200.8	45
-045	E-17	Drink Wtr	NR	12/28/23	1006	1	pb-t-200.8	46
-046	E-18	Drink Wtr	NR	12/28/23	1014	1	pb-t-200.8	47
-047	D-1	Drink Wtr	NR	12/28/23	1131	1	pb-t-200.8	48
-048	D-2	Drink Wtr	NR	12/28/23	1132	1	pb-t-200.8	49
-049	D-3	Drink Wtr	NR	12/28/23	1130	1	pb-t-200.8	50

Relinquished By _____ Date/Time _____

Relinquished By _____ Date/Time _____

Remarks:

Received By _____ Date/Time _____

Received for Lab By _____ Date/Time _____

Original - Lab Copy Yellow - Sampler Copy



LABORATORIES
A Microbac Company

600 East 17th Street
Newton, IA 50208
641-792-8451

3 H A 0 0 3 8
Princeton RV School District
Pvt: Carolyn Jackson

Page 9 of
Printed: 11/27/2023 9:52:37A
www.keystonelabs.com

REPORT TO

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

Jerry Girdner
Princeton RV School District
1008 E. Coleman
Princeton, MO 64673

SITE INFORMATION
Sampler: _____
Project: MO Schools
Lead Testing

SPECIAL INSTRUCTIONS

None
Turn Around Time
 Standard RUSH, need by ___/___/___

LAB USE ONLY

Work Order 3HA0038
Temperature 20.4/22.1
Turn-Cooler: No

Custody Seal
 Containers Intact
 COC/Labels Agree
 Preservation Confirmed
 Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
-057	D-4	Drink Wtr	NIR	12/28/23	1120	1	pb-1-200.8	51
-058	D-5	Drink Wtr	NIR	12/28/23	1127	1	pb-1-200.8	52
-059	D-8	Drink Wtr	NIR	12/28/23	1126	1	pb-1-200.8	53
-060	D-9	Drink Wtr	NIR	12/28/23	1133	1	pb-1-200.8	54
	D-10			12/28/23	1150	1		55
	D-11			12/28/23	1149	1		56
	D-12			12/28/23	1147	1		57
	D-13			12/28/23	1144	1		58
	D-15			12/28/23	1159	1		59
	D-16			12/28/23	1158	1		60

Relinquished By _____ Date/Time _____

Relinquished By _____ Date/Time _____

Received By _____ Date/Time _____

Received for Lab By _____ Date/Time _____

Remarks:

Original - Lab Copy Yellow - Sampler Copy